


Top & Bottom Labeling

Built Better...

Because We Care!


You want a label placed on your product in the exact position your specifications call for and you want it to look good.

Vande Berg Scales builds a state-of-the-art label application system with complete functionality, reliability, and performance that puts you in control. It's flexible enough to allow you to put your plant's label exactly where you want them every time: even when you change products and labels throughout the day.



Applying labels to top of product

“You want a label placed on your product in the exact position your specifications call for and you want it to look good.”



Adjustable brush used to adhere labels to top of product

CONFIGURABLE-DESIGN

You Want It, We'll Make It.

VANDE BERG
S C A L E S

Division of VBS, Inc.

770 7th St NW • Sioux Center, IA 51250
Fax 712.722.0900 • 712.722.1181
info@vbssys.com • www.vbssys.com

We build a label applicator unit that is completely adjustable so you can change labels quickly and easily regardless of type of product or how often you change production runs throughout each shift. Optional low label warning lights can be installed prompting operator when it is time to change labels.





Photo eyes are triggered when product passes, telling the labeler when to apply the label

The bottom label applicator uses two Vande Berg Scales' conveyors manufactured with a gap in between for the bottom labels to be applied. The gap allows room for the bottom label applicator to protrude between the two conveyors.



Bottom Label Applicator

The top label applicator is mounted over a standard Vande Berg Scales' conveyor. A brush is adjusted to help adhere the top label to the packaged product. If needed, an optional in-feed conveyor with adjustable product guides is added for proper alignment to the label applicators.



Applying labels to top and bottom of product




Optional low-label warning light

For applications needing a label on both the top and bottom of the package, Vande Berg Scales will build a combination top/bottom label applicator combining the design of both our top and our bottom labelers, giving you the same quick and reliable performance you want.

Applications:


case-ready trays
shrink-wrapped
cryovac
boxed products
whole or packaged fruits
whole or packaged vegetables



Combination top & bottom labeler using one top label applicator and two bottom label applicators

The label applicator or applicators are triggered by photo-eyes that determine the leading edge of the package for proper label application. The timing for when the photo-eye is triggered to when the applicator advances is adjusted from the label applicator control screen.


The Vande Berg Scales bottom and top label applicators are designed to be used on product packaging needing bottom or top label applications, such as: case-ready trays, shrink-wrapped, cryovac, or boxed products. Let us know your application and we will design a label application system to fit your needs!



Brackets ensure proper placement of photo eyes



**Labels protrude
between two
conveyors for
bottom label
application**



Features:

Pre-printed labels or on-demand label printing
Digital display
Easy to find off the shelf components
Current statistics reporting
Error reporting with recommended solution
Adjustable conveyor speeds
Applicators mounted on slide out brackets

Multiple label applicator choices:


Wipe-On
Tamp Applicator
Tamp-Blow
Blow-On

Benefits:

- Time saving, user-friendly digital display with error reporting and suggested solutions
- You choose the applicator that gives you very little production line adjustment
- Non-proprietary parts save you time and money on maintenance and repairs



Top label applicator on T-base stand



Low label warning lights save time and labor, making label changing fast and efficient



You Want it, We'll Make it.

Equipment

- Vande Berg Scales Stainless Steel conveyor with Intralox grip belting and adjustable legs
- VBS SS out-feed conveyor
- Optional VBS SS in-feed conveyor with product guides
- Choice of bottom labeler applicators
- Choice of top labeler applicators with T-base stand
- Optional printer spare parts kit (recommended)
- Low label warning lights (1 for each labeler)
- Photo-eye (1 for each label applicator) (times product for proper label placement)

VANDE BERG S C A L E S

Division of VBS, Inc.

770 7th St NW • Sioux Center, IA 51250
Fax 712.722.0900 • 712.722.1181
info@vbssys.com • www.vbssys.com

1113139